

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	103	((("6101589") or ("5715425") or ("5729713") or ("5669003") or ("5809314") or ("5717895") or ("4503497") or ("4598364") or ("5398325") or ("4342084") or ("4394731") or ("4399506") or ("4435759") or ("4438490") or ("4442487") or ("4445174") or ("4459656") or ("4464712") or ("4821178") or ("5185871") or ("5265232") or ("5404489") or ("5581734") or ("5652859") or ("5761479") or ("6269390") or ("6862694") or ("5216297") or ("5274790") or ("5920891") or ("6018759") or ("6076157") or ("6219773") or ("6219773") or ("4456952") or ("4757445") or ("5185861") or ("5255378") or ("5261053") or ("5267210") or ("5289584") or ("5339399") or ("5444853") or ("5537640") or ("5542059") or ("5603004") or ("5649230") or ("5655103") or ("5668968") or ("5778430).pn.))). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/02 12:15
S2	98	((("5794243") or ("5854943") or ("5924128") or ("5943687") or ("5943284") or ("5958040") or ("6012108") or ("6101568") or ("6105051") or ("6128677") or ("6157977") or ("6199118") or ("4494190") or ("4594660") or ("4853848") or ("5019971") or ("5253353") or ("5261074") or ("5263173") or ("5345576") or ("5369751") or ("5386546") or ("5412787") or ("5452418") or ("5465352") or ("5475859") or ("5493655") or ("5519854") or ("5524208") or ("5524220") or ("5524264") or ("5535395") or ("5544340") or ("5551000") or ("5553310") or ("5553248") or ("5579504") or ("5588130") or ("5590310") or ("5649232") or ("5652872") or ("5657481") or ("5671231") or ("5675763") or ("5689679") or ("5715428") or ("5728961") or ("5732209") or ("5751995") or ("5787467).pn.))). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/02 12:38

S3	5	embed\$4 and S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/02 12:16
S4	5	embed\$4 and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/02 12:21
S5	2243	(hdd or hard disk drive) with (ic or integrated circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/02 12:22
S6	0	(hdd or hard disk drive) with (ic or integrated circuit) with (embedde (processor or microprocessor or microcontroller))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/02 12:23
S7	1	(hdd or hard disk drive) with (ic or integrated circuit) with (embedded (processor or microprocessor or microcontroller))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/02 13:03
S8	1	(hdd or hard disk drive) with (ic or integrated circuit) same (embedded (processor or microprocessor or microcontroller))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/02 12:25
S9	26	(hdd or hard disk drive) with (ic or integrated circuit) and (embedded (processor or microprocessor or microcontroller))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/02 12:26
S10	17	(hdd or hard disk drive) with (embedded (processor or microprocessor or microcontroller))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/02 12:42

S11	686	(hdd or hard disk drive) and (embedded (processor or microprocessor or microcontroller))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/02 12:26
S12	502	(ic or integrated circuit) with (embedded (processor or microprocessor or microcontroller))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/02 13:27
S13	0	servo processor and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/02 13:03
S14	14	(servo near2 (processor or controller)) and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/02 13:03
S15	0	(hdd or hard disk drive) with (embedded (processor or microprocessor or microcontroller)) with cache with RAM with rom	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/02 13:18
S16	1	(hdd or hard disk drive) same (embedded (processor or microprocessor or microcontroller)) same cache same RAM same rom	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/02 13:26
S17	392	(hdd or hard disk drive) same (cpu or mpu or processor or microprocessor or microcontroller) same cache same RAM same rom	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/02 13:19
S18	38	(hdd or hard disk drive) with (cpu or mpu or processor or microprocessor or microcontroller) with cache with RAM with rom	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/02 13:19

S19	0	S12 with cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 08:26
S20	27	S12 same cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/02 13:27
S21	395	(hdd or hard disk drive) same (cpu or mpu or processor or microcontroller) same cache same RAM same rom	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 08:26
S22	4	servo same S21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 08:28
S23	75	servo with cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 08:29
S24	41	(hdd or hard disk) and S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 08:38
S25	1313	(hdd or hard disk) with asic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 08:39
S26	12	(hdd or hard disk) near asic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 08:40

S27	27666	"711"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 08:40
S28	133	S25 and S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 08:53
S29	125	(servo or dsp) and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 08:55
S30	78	(servo) and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 08:55
S31	2	"6820170".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 12:38

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1833	(cpu or mcu or microprocessor or processor or controller) near5 (cache adj2 interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 11:34
S2	719	(cpu or mcu or microprocessor or processor or controller) near5 (direct adj2 interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/18 10:45
S3	18	S1 and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/30 14:53
S4	9769	((multiple or more or many) near3 memor\$3) with (switch or mux or select\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/18 10:53
S5	7	S4 same (cache adj2 miss)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/18 10:58
S6	505	711/119.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/18 10:58
S7	1335	(cache near2 (miss or misshit or miss-hit)) with (switch or mux or select\$4 or multiplexer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/18 12:01
S8	78	S4 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/18 11:36

S9	5	S8 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/18 11:36
S10	51	S1 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/18 11:37
S11	14	S2 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/18 11:52
S12	14	S10 and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/18 11:52
S13	0	(cache near2 (miss or misshit or miss-hit)) with (switch or mux or select\$4 or multiplexer) with ((multiple or many) near2 (interface\$2 or connection))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/18 12:02
S14	10	(cache near2 (miss or misshit or miss-hit)) same (switch or mux or select\$4 or multiplexer) same ((multiple or many) near2 (interface\$2 or connection))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/18 12:03
S15	94	cache with ((multiple or many) near2 (interface\$2 or connection))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/18 12:54
S16	6	S7 and S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/18 12:04

S17	274	(external near4 cache) with (switch or arbiter or select\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/18 12:55
S18	4064	servo same host	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/18 12:56
S19	1904	servo with host	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/18 13:01
S20	0	S17 and S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/18 12:56
S21	3	(cache near2 interface) with S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/18 12:57
S22	3	(cache near2 interface) same S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/18 12:57
S23	10	(cache near2 interface) and S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/18 12:57
S24	1	S19 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/18 13:00

S25	2	S19 and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/18 13:01
S26	1	S19 and S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/18 13:04
S27	2	S19 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/18 13:04
S28	3	S18 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/18 13:06
S29	2	(servo near2 processor) with cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/18 13:07
S30	6	(servo near2 processor) same cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/21 08:01
S31	34	(servo near2 processor) and (cache near3 (hit or miss or misshit or miss-hit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/18 13:19
S32	120	(servo near2 processor) and cache	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/18 13:25

S33	42	(hit or miss) and S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/18 13:25
S34	8	S33 not S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/18 13:25
S35	8	("4849979" "6226723" "6353867" "6457108" "6477606" "6484280" "6526462" "6530047").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2005/11/18 13:28
S36	4	("6601126").URPN.	USPAT	ADJ	ON	2005/11/18 13:30
S37	14	((multi\$3 or many) near2 (cpu or processor or mpu or controller)) with (cache near2 miss) with (switch or mux or arbiter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/18 13:38
S38	2	"5848432".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/21 08:02
S39	5	cam near2 cache near2 miss	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/21 08:52
S40	6	((("20020178334") or ("5566324") or ("6820170"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 13:05
S41	165	((multiple or many or more or two) near3 cpu) with ((single or one or only) near3 cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/30 15:20

S42	6	(multi near2 thread) with (cache near2 access\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/30 15:16
S43	28	((multiple or many or more or two) near3 cpu) with ((multiple or many or more) near2 page)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/11/30 15:21
S44	46	first near3 second near3 (lru or least recently used)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/02 11:34